




DWN No.:
C-110951

proposal



Recommended PCB Layout

TOP-LINK

Item	Part name	Q'ty/Ed	Material	Finish
1	HSG	1	High temp. Plastic UL94 V-0 Color Black	_____
2	Body	7	Leaded Brass	Gold plating over Nickel plating
3	Plunger	7	Leaded Brass	Gold plating over Nickel plating
4	Spring	7	Stainless steel wire	_____
5				_____

Table 1 Mechanical performance		
working height	3.80mm	120±30gf
Durability	10000cycle	

- Notes:
- 1 Dimensions shall be interpreted per ASME Y14.5M.
 - 2 Mechanical performance(See the table 1)
 - 3 Electrical performance
Resistance: 30mOhm Max.
Current rating: 2.0A
 - 4 RoHS compliant.

110951-7
PART NUMBER

Type	Unit	Weight
Top-Link Electronics Ltd.	mm	
TOLERANCES UNLESS OTHER SPECIFIED		
0.0 = ±0.15		
0.00 = ±0.10		
0.000 = ±0.05		
Angle: ±1°		
SURF. TEXTURE: REMOVE BURRS. BREAK SHARP EDGES R0.05 MAX. DO NOT SCALE PRINT.		
Name	Pogo pin connector	
Scale	1:1	
Size	A4	
DWG No.	C-110951	
Page	1/1	
Rev.	1	

Top-Link
Electronics
Top-Link
Electronics Ltd.

DIST

Rev.	NEW	2013/2/25
Revision record.		
Date.		