









THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN TOP-LINK PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM TOP-LINK LTD.



DWG NO.
C-100143



Recommended PCB Layout

- Notes:
- 1 Material, Housing: PA 4,6 (30% Glass Filled)
Color: Black
 - 2 Mechanical demands:
Plating Plunger: Min 0.4um Au over 1.4um Ni.
Plating Body: Min 0.1um Au over 1.4um Ni.

Contact: Brass

LDC

DIST

4

3

2

1

NEW		06/07/06/07
REVISION	APVD	DATE
RECORD		
LTR		

DIMENSIONS IN MM	
TOLERANCES UNLESS	
OTHER SPECIFIED	
0	= ±
0.0	= ±0.15
0.00	= ±0.10
0.000	= ±
ANGLE: ±1°	
SURF TEXTURE: 32/	
REMOVE BURRS, BREAK	
SHARP EDGES R0.05 MAX	
DO NOT SCALE PRINT	

MATL	1	HT TR	—	FIN	—	✓
DWN	Benny	APVD	Lansing			
CHK	Andy	REL				
NAME		BATTERY POGO CONNECTOR 4 POSITIONS		PART NUMBER		
SCALE		1:1		PGC-1.5-8.5-R-4P-2.54PH		
A4		A4		C-100143		
ND		ND		C-100143		
SHEET		1 OF 1		REV A		

100143-4

PART NUMBER

Top-Link
Electronics Ltd.

USED ON

—